



OPTIONAL



TANK



BALLAST

TECHNICAL CHARACTERISTICS



TELESCOPIC
HANDLE



REDUCER



USER REQUIRED
FOR STARTING
THE MACHINE



SPEED
SELECTOR

PACKAGE



CARTON BOX

- Single rotating brush for grouting of floors with joints, for smoothing of mortar base,
- Dual rotation speeds 55/110 revolutions/min (66/132 for 60 Hz versions).
- For polishing and sanding surfaces, for cleaning and treatment of Terracotta.
- Accommodates attachments with diameters from 45 cm (17 3/4") to 60 cm (23 5/8").

- Telescopic handle with adjustable tilt.
- Supplied with: hex key kit, user and maintenance manual.
- Quick Change tools.

MODEL SPECIFICATIONS

| Part No. | | | | | | | |
|-----------------|---------------|---|-------------|--------------|-----------------|-------------|----------|
| 219 | 8024648004697 | 1 | 230 V 50 Hz | Single-phase | 1,2 CV / 0,9 kW | 1400 / 2800 | 55 / 110 |
| 219 60HZ | 8024648009760 | 1 | 230 V 60 Hz | Single-phase | 1,2 CV / 0,9 kW | 1680 / 3360 | 66 / 132 |
| 219GB110 | 8024648004727 | 1 | 110 V 50 Hz | Single-phase | 1,2 CV / 0,9 kW | 1400 / 2800 | 55 / 110 |
| 219US115 | 8024648004734 | 1 | 110 V 60 Hz | Single-phase | 1,2 CV / 0,9 kW | 1680 / 3360 | 66 / 132 |

DIMENSIONS AND WEIGHT

| Model | | | | | | | |
|-------------------|-------------------|-------------------|-------|--------|-------------------|-----------------------|--------------|
| MAXITITINA | 50 x 60 x h 80 cm | 20" x 23" x h 31" | 26 Kg | 57 lbs | 75 x 50 x h 43 cm | 29 1/2" x 20" x h 17" | 29 Kg 64 lbs |





103 SM



219ZV00A



219ZV02A



- Polypropylene tank capacity 12 liters (3.2 gals) equipped with device to adjust liquid supply.
- Ballasts for increasing weight. It is possible to mount up to two additional ballasts (weight Kg

3,5 / 7.7 lbs each) on the main-support ballast (weight Kg 6,8 / 14.9 lbs).

TANK FOR MAXITITINA AND SUPERTITINA EQUIPPED WITH DEVICE TO ADJUST LIQUID SUPPLY


| Part No. | Barcode | Box | Description | Weight (Kg) | Weight (lbs) | Dimensions (cm) | Dimensions (in) | Weight (Kg) | Weight (lbs) |
|----------|---------------|-----|--|-------------|--------------|-------------------|-------------------|-------------|--------------|
| 103 SM | 8024648058454 | 1 | Polypropylene tank capacity 12 liters (3.17 gal) | 3,2 Kg | 7 lbs | 58 x 30 x h 38 cm | 23" x 12" x h 15" | 3,8 Kg | 8.4 lbs |

BALLASTS FOR MAXITITINA AND SUPERTITINA

| Part No. | Barcode | Box | Description | Weight (Kg) | Weight (lbs) | Dimensions (cm) | Dimensions (in) | Weight (Kg) | Weight (lbs) |
|----------|---------------|-----|---------------------------------|-------------|--------------|-------------------|--------------------------|-------------|--------------|
| 219ZV00A | 8024648058485 | 1 | Main-support ballast with studs | 6,8 Kg | 14.9 lbs | 39 x 39 x h 15 cm | 15 3/8" x 15 3/8" x h 6" | 7,5 Kg | 16.5 lbs |
| 219ZV02A | 8050532030985 | 1 | Additional ballast | 3,5 Kg | 7.7 lbs | 33 x 33 x h 10 cm | 13" x 13" x h 4" | 4 Kg | 8.8 lbs |

ACCESSORIES/MACHINES COMBINATIONS

| Part No. | Description | IPERTITINA | MAXITITINA | SUPERTITINA |
|----------|--|------------|------------|-------------|
| 103 SM | Polypropylene tank capacity 12 liters (3.2 gals) | - | • | • |
| 219ZV00A | Main-support ballast with studs (weight Kg 6,8 / 14.9 lbs) | - | • | • |
| 219ZV02A | Additional ballast (weight Kg 3,5 / 7.7 lbs each) | - | • | • |



FLOOR PREPARATION MACHINES

BRUSHES

made in
ITALY



355A
335B

207A
207B
207C

165A
165B
165C



335TINEX

207TINEX

165TINEX



337

209

166



338

208

228

PACKAGE



CARTON BOX

BRUSHES

| Part No. | | | Description | | | |
|-----------------|---------------|---|--|--------|---------|--|
| 335A | 8024648015754 | 1 | Stiff nylon brush (bristle 080) | 3,6 Kg | 8 lbs | 47 x 47 x h 9 cm 18" x 18" x h 3 1/2" |
| 335B | 8024648015761 | 1 | Medium nylon brush (bristle 065) | 3,8 Kg | 8.4 lbs | |
| 207A | 8024648002518 | 1 | Stiff nylon brush (bristle 080) | 3 Kg | 6.6 lbs | |
| 207B | 8024648002525 | 1 | Medium nylon brush (bristle 065) | 3,2 Kg | 7 lbs | |
| 207C | 8024648002532 | 1 | Soft nylon brush (bristle 025) | 3,6 Kg | 8 lbs | |
| 165A | 8024648002549 | 1 | Stiff nylon brush (bristle 080) | 2,1 Kg | 4.6 lbs | |
| 165B | 8024648002556 | 1 | Medium nylon brush (bristle 065) | 2,4 Kg | 5.3 lbs | |
| 165C | 8024648002563 | 1 | Soft nylon brush (bristle 025) | 2,7 Kg | 6 lbs | |
| 335TINEX | 8024648015785 | 1 | Brush with abrasive bristles (bristle 1,5) | 3,8 Kg | 8.4 lbs | |
| 207TINEX | 8024648002631 | 1 | Brush with abrasive bristles (bristle 050) | 2,9 Kg | 6.4 lbs | |
| 165TINEX | 8024648002648 | 1 | | 2,5 Kg | 5.5 lbs | |
| 337 | 8024648015792 | 1 | | 4,3 Kg | 9.5 lbs | |
| 209 | 8024648002693 | 1 | Brass coated, steel-wire brush | 3,5 Kg | 7.7 lbs | |
| 166 | 8024648002709 | 1 | | 3,1 Kg | 6.8 lbs | |
| 338 | 8024648015808 | 1 | | 3,8 Kg | 8.4 lbs | |
| 208 | 8024648002655 | 1 | Brush with vegetable fiber bristles | 3,1 Kg | 6.8 lbs | |
| 228 | 8024648002662 | 1 | | 2,4 Kg | 5.3 lbs | |

| Part No. | Applications | | MACHINE |
|-------------|----------------------|----------------|-------------|
| 335A | For general cleaning | 480 mm 19" | IPERTITINA |
| 335B | | | |
| 207A | | 450 mm 17 3/4" | MAXITITINA |
| 207B | | | |
| 207C | | | |
| 165A | | 430 mm 17" | SUPERTITINA |
| 165B | | | |
| 165C | | | |

| Part No. | Applications | | MACHINE |
|-----------------|---|----------------|-----------------------------|
| 335TINEX | For intensive, abrasive cleaning and also for creating an aged look in terracotta | 480 mm 19" | IPERTITINA PLUS, IPERTITINA |
| 207TINEX | | 450 mm 17 3/4" | MAXITITINA |
| 165TINEX | | 430 mm 17" | SUPERTITINA |
| 337 | For intensive cleaning | 480 mm 19" | IPERTITINA PLUS, IPERTITINA |
| 209 | | 450 mm 17 3/4" | MAXITITINA |
| 166 | | 430 mm 17" | SUPERTITINA |
| 338 | For waxing | 480 mm 19" | IPERTITINA PLUS, IPERTITINA |
| 208 | | 450 mm 17 3/4" | MAXITITINA |
| 228 | | 430 mm 17" | SUPERTITINA |





339VELCRO
213VELCRO
168VELCRO



339PELO 213PELO 168PELO



340N 248N 170N 340V 248V 170V 340B 248B 170B

PACKAGE



CARTON BOX



FLOOR PREPARATION MACHINES

DISC HOLDERS AND FELT DISCS

| Part No. | | | Description | | | |
|------------------|---------------|---|---|--------|---------|----------------|
| 339VELCRO | 8024648015815 | 1 | Disc holder for felt and sponge discs with Velcro | 3,1 Kg | 6.8 lbs | 3,5 Kg 7.7 lbs |
| 339PELO | 8024648015822 | 1 | Disc holder for felt and sponge discs with points | 2,6 Kg | 5.7 lbs | 2,9 Kg 6.4 lbs |
| 213VELCRO | 8024648002730 | 1 | Disc holder for felt and sponge discs with Velcro | 2,5 Kg | 5.5 lbs | 2,8 Kg 6.2 lbs |
| 213PELO | 8024648007193 | 1 | Disc holder for felt and sponge discs with points | 2,4 Kg | 5.3 lbs | 2,7 Kg 6 lbs |
| 168PELO | 8024648007209 | 1 | Disc holder for felt and sponge discs with points | 1,9 Kg | 4.2 lbs | 2,2 Kg 4.9 lbs |
| 168VELCRO | 8024648002747 | 1 | Disc holder for felt and sponge discs with Velcro | 2,2 Kg | 4.8 lbs | 2,5 Kg 5.5 lbs |
| 340N | 8024648015839 | 5 | Black felt disc (high abrasiveness) | 360 gr | 12.7 oz | 2,8 Kg 6.2 lbs |
| 340V | 8024648015853 | 5 | Green felt disc (medium abrasiveness) | 270 gr | 9.5 oz | 2,4 Kg 5.3 lbs |
| 340B | 8024648015846 | 5 | White felt disc (low abrasiveness) | 150 gr | 5.3 oz | 1,8 Kg 4 lbs |
| 248N | 8024648002778 | 5 | Black felt disc (high abrasiveness) | 340 gr | 12 oz | 2 Kg 4.4 lbs |
| 248V | 8024648002785 | 5 | Green felt disc (medium abrasiveness) | 260 gr | 9.2 oz | 1,6 Kg 3.5 lbs |
| 248B | 8024648002792 | 5 | White felt disc (low abrasiveness) | 140 gr | 5 oz | 1 Kg 2.2 lbs |
| 170N | 8024648002808 | 5 | Black felt disc (high abrasiveness) | 250 gr | 8.8 oz | 1,5 Kg 3.3 lbs |
| 170V | 8024648002815 | 5 | Green felt disc (medium abrasiveness) | 200 gr | 7 oz | 1,3 Kg 2.9 lbs |
| 170B | 8024648002822 | 5 | White felt disc (low abrasiveness) | 100 gr | 3.5 oz | 800 gr 28.2 oz |

| Part No. | Applications | | MACHINE |
|--|---------------------------------------|----------------|-------------------------------|
| 339VELCRO 339PELO 213VELCRO 213PELO 168VELCRO 168PELO | Disc holder for felt and sponge discs | 460 mm 18 1/8" | IPERTITINA PLUS IPERTITINA |
| | | 430 mm 17" | MAXITITINA |
| | | 380 mm 15" | SUPERTITINA |

| Part No. | Applications | | MACHINE |
|---|---|------------|-------------------------------|
| 340N 340V 340B | Black felt for intensive cleaning Green felt for medium trouble cleaning White felt to wax and polish | 483 mm 19" | IPERTITINA PLUS IPERTITINA |
| 248N 248V 248B | Black felt for intensive cleaning Green felt for medium trouble cleaning White felt to wax and polish | 456 mm 18" | MAXITITINA |
| 170N 170V 170B | Black felt for intensive cleaning Green felt for medium trouble cleaning White felt to wax and polish | 406 mm 16" | SUPERTITINA |



FINISHING, GROUTING, CLEANING AND SMOOTHING TOOLS

made in
ITALY




274RT490G100 274RT490G210 274RT490G150 274RT490G180
 274RT460G100 274RT460G120 274RT460G150 274RT460G180
 274RT410G100 274RT410G120 274RT410G150 274RT410G180




272 8



212
167



219SPUSWE
122SPUSWE



219SPUWEL
122SPUWEL



214
388

PACKAGE



CARTON BOX

DOUBLE FACE SILICON CARBIDE MESH


| Part No. | Barcode | Box | Description | Grain | Symbol | Symbol | Weight | Weight | Weight | Weight |
|--------------|---------------|-----|---|-------|--------|---------|--------|--------|--------|--------|
| 274RT490G80 | 8024648017321 | 5 | Double face silicon carbide mesh for floor finishing (wooden floor, etc.) | 80 | 490 mm | 19 1/4" | 400 gr | 14 oz | 450 gr | 16 oz |
| 274RT490G220 | 8024648017291 | 5 | | 220 | | | | | | |
| 274RT460G80 | 8024648017246 | 5 | | 80 | 450 mm | 17 3/4" | 360 gr | 13 oz | 400 gr | 14 oz |
| 274RT460G220 | 8024648017215 | 5 | | 220 | | | | | | |
| 274RT410G80 | 8024648017161 | 5 | Grit 100/120/150/180 also available | 80 | 406 mm | 16" | 350 gr | 12 oz | 360 gr | 13 oz |
| 274RT410G220 | 8024648017130 | 5 | | 220 | | | | | | |

GROUTING PADDLE, SPONGE DISCS, STEEL DISCS

| Part No. | Barcode | Box | Description | Weight | Weight | Dimensions | Dimensions | Weight | Weight |
|-----------|---------------|-----|--|--------|----------|-------------------|-------------------|--------|----------|
| 212 | 8024648002914 | 1 | Grouting paddle with non-abrasive rubber | 5,6 Kg | 12.4 lbs | 50 x 50 x h 10 cm | 20" x 20" x h 4" | 5,9 Kg | 13 lbs |
| 167 | 8024648002921 | 1 | | 4,4 Kg | 9.7 lbs | | | 4,7 Kg | 10.4 lbs |
| 272 8 | 8024648002945 | 1 | Replacement rubber grouting blades, set of 8 | 1,7 Kg | 3.8 lbs | 25 x 15 x h 10 cm | 10" x 6" x h 4" | 1,8 Kg | 4 lbs |
| 219SPUWEL | 8024648055774 | 5 | Sponge disc with Velcro | 200 gr | 7 oz | 47 x 47 x h 25 cm | 18" x 18" x h 10" | 1 Kg | 2.2 lbs |
| 219SPUSWE | 8024648087607 | 5 | Sweepex sponge disc with Velcro | 200 gr | 7 oz | | | 1 Kg | 2.2 lbs |
| 122SPUWEL | 8024648054241 | 5 | Sponge disc with Velcro | 160 gr | 5.6 oz | | | 800 gr | 28.2 oz |
| 219SPUSWE | 8024648082770 | 5 | Sweepex sponge disc with Velcro | 160 gr | 5.6 oz | | | 800 gr | 28.2 oz |
| 214 | 8024648002983 | 1 | Steel disc | 6 Kg | 13.2 lbs | 68 x 66 x h 10 cm | 27" x 26" x h 4" | 7 Kg | 15.4 lbs |
| 388 | 8024648002976 | 1 | | 4,5 Kg | 9.9 lbs | | | 5,2 Kg | 11.5 lbs |

| Part No. | Applications | Symbol | IPERTITINA PLUS | IPERTITINA | MAXITITINA | SUPERTITINA |
|-----------|---|--------|-----------------|------------|------------|-------------|
| 212 | For power grouting | 500 mm | 19 5/8" | • | • | • |
| 167 | | 420 mm | 16 1/2" | — | — | • |
| 219SPUWEL | Sponge disc to emulsify the residue of cement base grout after the grouting phase | 460 mm | 18 1/8" | — | — | • |
| 219SPUSWE | | 460 mm | 18 1/8" | — | — | • |
| 122SPUWEL | | 410 mm | 16" | — | — | • |
| 219SPUSWE | | 410 mm | 16" | — | — | • |
| 214 | For floating, smoothing of mortar base (mud beds) | 600 mm | 23 5/8" | • | • | • |
| 388 | | 510 mm | 20" | • | • | • |





279 490
270 450
279 400



27450G36
27450G100

27445G36
27445G100

27440G36
27440G100



27450W16
27450W24
27450W36

27445W16
27445W24
27445W36

27440216
27440224
27440236



GR36



GR100



GR16



GR24



GR 36-1

PACKAGE



CARTON BOX



FLOOR PREPARATION MACHINES

BASE-PLATE (DISC HOLDER FOR ABRASIVE DISCS) AND DOUBLE FACE ABRASIVE DISCS

| Part No. | | | Description | | | | | |
|------------------|---------------|---|---|--------|---------------------------------------|---------|--------|---------|
| 279 490 | 8024648015877 | 1 | Disc holder for abrasive discs & sanding discs | 2,4 Kg | 50 x 50 x h 10 cm 20" x 20" x h 4" | 5.3 lbs | | |
| 279 450 | 8024648002990 | 1 | | 2,2 Kg | | 4.9 lbs | | |
| 279 400 | 8024648003003 | 1 | | 1,8 Kg | | 4 lbs | | |
| 27450G36 | 8024648015884 | 5 | Double face abrasive disc made of silicon carbide Grit 24/60/80/120 also available | 330 gr | 50 x 50 x h 10 cm 20" x 20" x h 4" | 11.7 oz | | |
| 27450G100 | 8024648015891 | 5 | | 200 gr | | 7 oz | | |
| 27445G36 | 8024648003027 | 5 | | 300 gr | | 10.6 oz | | |
| 27445G100 | 8024648008954 | 5 | | 180 gr | | 6.4 oz | | |
| 27440G36 | 8024648003041 | 5 | | 280 gr | | 10 oz | | |
| 27440G100 | 8024648003058 | 5 | | 160 gr | | 5.7 oz | | |
| 27450W16 | 8024648015907 | 2 | | 1,2 Kg | | 2.6 lbs | | |
| 27450W24 | 8024648015914 | 2 | | 1,4 Kg | | 3 lbs | | |
| 27450W36 | 8024648015921 | 2 | | 1,3 Kg | | 2.9 lbs | | |
| 27445W16 | 8024648008923 | 2 | | 1,1 Kg | | 2.4 lbs | | |
| 27445W24 | 8024648008947 | 2 | Double face abrasive disc made of wolfram carbide | 1,3 Kg | 50 x 50 x h 10 cm 20" x 20" x h 4" | 2.9 lbs | | |
| 27445W36 | 8024648008930 | 2 | | 1,2 Kg | | 2.6 lbs | | |
| 27440W16 | 8024648008893 | 2 | | 950 gr | | 33.5 oz | | |
| 27440W24 | 8024648008909 | 2 | | 1 Kg | | 2.2 lbs | | |
| 27440W36 | 8024648008916 | 2 | | 700 gr | | 24.7 oz | | |
| | | | | | | | 2,7 Kg | 6 lbs |
| | | | | | | | 2,5 Kg | 5.5 lbs |
| | | | | | 2,1 Kg | 4.6 lbs | | |
| | | | | | 1,9 Kg | 4.2 lbs | | |
| | | | | | 1,3 Kg | 2.9 lbs | | |
| | | | | | 1,8 Kg | 4 lbs | | |
| | | | | | 1,2 Kg | 2.6 lbs | | |
| | | | | | 1,5 Kg | 3.3 lbs | | |
| | | | | | 1,1 Kg | 2.4 lbs | | |
| | | | | | 2,7 Kg | 6 lbs | | |
| | | | | | 3,1 Kg | 6.8 lbs | | |
| | | | | | 2,9 Kg | 6.4 lbs | | |
| | | | | | 2,5 Kg | 5.5 lbs | | |
| | | | | | 2,9 Kg | 6.4 lbs | | |
| | | | | | 2,7 Kg | 6 lbs | | |
| | | | | | 2,2 Kg | 4.9 lbs | | |
| | | | | | 2,3 Kg | 5 lbs | | |
| | | | | | 1,7 Kg | 3.8 lbs | | |

| Part No. | Applications | | | MACHINE | Part No. | Applications | | | MACHINE |
|------------------|---|--------|---------|---------|-----------------|--|--------|---------|---------|
| 279 490 | Disc holder for abrasive & sanding discs | 490 mm | 19 1/4" | - | 27450W16 | For grinding of cement, resin, terracotta, metal For scarifying (scratching) surfaces to improve the bonding of adhesives and to remove sealers For removing overspray, thinsets, etc... | 500 mm | 20" | 16 |
| 279 450 | | 450 mm | 17 3/4" | - | 27450W24 | | | | 24 |
| 279 400 | | 400 mm | 15 3/4" | - | 27450W36 | | | | 36 |
| 27450G36 | For sanding and abrading applications & light surface preparation | 500 mm | 20" | 36 | 27445W16 | | 16 | 17 3/4" | 24 |
| 27450G100 | | | | 100 | 27445W24 | | 36 | | |
| 27445G36 | | 450 mm | 17 3/4" | 36 | 27445W36 | | 24 | | |
| 27445G100 | | | | 100 | 27440W16 | | 36 | | |
| 27440G36 | | 400 mm | 15 3/4" | 36 | 27440W24 | | 16 | 15 3/4" | 24 |
| 27440G100 | | | | 100 | 27440W36 | | 24 | | |



ABRASIVE TOOLS

MADE IN E.U.



250 IPER 250 249 IPER 249 250PMIPER 250PMOLE



230 229 230PMOLE



273W16 273W6



273C5



158GF03D



27418G16C

27418G60C

27418G24C

27418G80C

27418G36C

PACKAGE



CARTON BOX

DISC / GRINDSTONE HOLDER FOR ABRASIVE DISCS, CUPWHEELS, & CARBIDE PLATES

| Part No. | Barcode | Box Icon | Description | Weight | Dimensions | Volume | Weight | | |
|------------------|---------------|----------|---|--------|------------|-------------------|------------------|--------|----------|
| 250IPER | 8024648015990 | 1 | Blade with 5 silicon carbide abrasive grindstones grit 16 | 9,6 Kg | 21.2 lbs | 50 x 50 x h 10 cm | 20" x 20" x h 4" | 10 Kg | 22 lbs |
| 250 | 8024648003126 | 1 | Blade with 5 silicon carbide abrasive grindstones grit 16 | 9,6 Kg | 21.2 lbs | | | 10 Kg | 22 lbs |
| 230 | 8024648003133 | 1 | Blade with 3 silicon carbide abrasive grindstones grit 16 | 6,6 Kg | 14.6 lbs | 50 x 50 x h 10 cm | 20" x 20" x h 4" | 7 Kg | 15.4 lbs |
| 249IPER | 8024648016010 | 1 | Blade with 5 silicon carbide abrasive flap discs grit 16 | 7,3 Kg | 16 lbs | | | 7,6 Kg | 17.7 lbs |
| 249 | 8024648003157 | 1 | Blade with 5 silicon carbide abrasive flap discs grit 16 | 7,3 Kg | 16 lbs | | | 7,6 Kg | 17.7 lbs |
| 229 | 8024648003164 | 1 | Blade with 3 silicon carbide abrasive flap discs grit 16 | 5,2 Kg | 11.5 lbs | | | 5,5 Kg | 12 lbs |
| 250PMIPER | 8024648016027 | 1 | Abrasive disc / grindstone holder (nr.5) | 6,2 Kg | 13.7 lbs | | | 6,5 Kg | 10.3 lbs |
| 250PMOLE | 8024648003089 | 1 | Abrasive disc / grindstone holder (nr.5) | 6,2 Kg | 13.7 lbs | | | 6,5 Kg | 10.3 lbs |
| 230PMOLE | 8024648003096 | 1 | Abrasive disc / grindstone holder (nr.3) | 4,6 Kg | 10.2 lbs | | | 4,9 Kg | 10.8 lbs |

| Part No. | Applications | Grindstone Icon | Disc Icon | IPERTITINA PLUS | IPERTITINA | MAXITITINA | SUPERTITINA |
|------------------|--|--|-----------|-----------------|------------|------------|-------------|
| 250IPER | | 16 | 490 mm | 19 1/4" | • | • | – |
| 250 | For abrading and polishing cement, resin, terracotta surfaces. | 16 | 490 mm | 19 1/4" | – | – | • |
| 230 | | For grinding smooth surfaces to improve the bonding of adhesives. For removal of old grout / thinset residue when removing old floors. | 16 | 420 mm | 16 1/2" | – | – |
| 249IPER | | | 16 | 490 mm | 19 1/4" | • | • |
| 249 | | 16 | 490 mm | 19 1/4" | – | – | • |
| 229 | | 16 | 420 mm | 16 1/2" | – | – | • |
| 250PMIPER | | – | 490 mm | 19 1/4" | • | • | – |
| 250PMOLE | Disc holder for several types of abrasive tools | – | 490 mm | 19 1/4" | – | – | • |
| 230PMOLE | | | – | 420 mm | 16 1/2" | – | – |

ABRASIVE TOOLS

| Part No. | Barcode | Box Icon | Description | Weight | Dimensions | Volume | Weight | | |
|------------------|---------------|----------|--|--------|------------|-------------------|------------------------|--------|---------|
| 273W16 | 8024648003102 | 5 | Wolfram carbide plate grit 16 | 1 Kg | 2.2 lbs | 25 x 15 x h 10 cm | 10" x 20" x h 4" | 5 Kg | 11 lbs |
| 273W6 | 8024648003119 | 5 | Wolfram carbide plate grit 6 | 1 Kg | 2.2 lbs | | | | |
| 273C5 | 8050532023659 | 5 | Silicon carbide cup wheel grit 6 (14 MA fitting) | 600 gr | 21.2 oz | 28 x 28 x h 7 cm | 11" x 11" x h 2 3/4" | 3 Kg | 6.6 lbs |
| 27418G16C | 8024648014139 | 5 | Single face silicon carbide flap wheel grit 16 | 150 gr | 5.3 oz | 20 x 20 x h 5 cm | 7 7/8" x 7 7/8" x h 2" | 750 gr | 26.5 oz |
| 27418G24C | 8024648079596 | 5 | Single face silicon carbide flap wheel grit 24 | 150 gr | 5.3 oz | | | | |
| 27418G36C | 8024648014146 | 5 | Single face silicon carbide flap wheel grit 36 | 150 gr | 5.3 oz | | | | |
| 27418G60C | 8024648060273 | 5 | Single face silicon carbide flap wheel grit 60 | 140 gr | 4.9 oz | | | 700 gr | 24.6 oz |
| 27418G80C | 8024648061072 | 5 | Single face silicon carbide flap wheel grit 80 | 140 gr | 4.9 oz | | | 700 gr | 24.6 oz |
| 158GF03D | 8024648017413 | 5 | 14 MA metal flange for abrasive wheels/discs | 45 gr | 1.6 oz | | | 225 gr | 7.9 oz |

| Part No. | Applications | Grindstone Icon | Disc Icon | NUMBER OF TOOLS FOR BLADE | | | |
|------------------|--|--|-----------|---------------------------|---------|--------|---------|
| | | | | 490 mm | 19 1/4" | 420 mm | 16 1/2" |
| 273W16 | | 16 | 125 mm | 5" | 5 | | 3 |
| 273W6 | | 6 | 125 mm | 5" | 5 | | 3 |
| 27418G16C | For removing thinsets, adhesive, overspray, etc... | 16 | 178 mm | 7" | 5 | | 3 |
| 27418G24C | | For abrading and polishing cement, resin, terracotta surfaces. For scarifying smooth surfaces to improve the bonding of adhesives. | 24 | 178 mm | 7" | 5 | |
| 27418G36C | For removal of grout residue when removing old floors. | | 36 | 178 mm | 7" | 5 | |
| 27418G60C | | 60 | 178 mm | 7" | 5 | | 3 |
| 27418G80C | | 80 | 178 mm | 7" | 5 | | 3 |



FLOOR PREPARATION MACHINES